

# DHI-ISC-ETR5-T012C

## RF Lanyard Pencil Tag T012C



### System Overview

The RF Lanyard Pencil Tag can be used together with the Radio-Frequency antenna to effectively prevent the theft of the goods.

### Features

#### Suitable for Abundant Products

Strong fixation effect, can be effectively fixed on clothing, shoes, hats and so on, not easy to be damaged unless the special unlocking device is used.

#### High Reuse Rate

High reuse rate after recycling.

#### Good Detection Effect

High detection rate, good anti-theft effect.

### Scene

The tag can be fixed on various bottles, please refer to the actual measurement.

### Technical Specification

#### Performance

Technology	Radio-Frequency (RF)
Detection Frequency	8.2 MHz $\pm$ 0.4 MHz
Antenna Detection Distance	$\leq$ 1.0 m (Based on system performance)
Shell Material	High Impact Polystyrene (HIPS)
Lock Strength	Standard
Certifications	Conform with RoHS Directive 2011/65/EU, 2015/863/EU and REACH regulations as defined in EC No 1907/2006 and subsequent amendments.

- Environmentally friendly and economical, can be reused after unlocking.
- Small and light design, high detection performance.
- High detection rate, excellent anti-theft effect.
- Lower labor operating costs, widely applicable in merchandising shops.
- Powerful locking mechanism, effectively preventing man-made damage.
- Adopt lanyard design, easy to use.

### General

Color	Grey
Lanyard Length	170 mm (6.69") $\pm$ 0.5 mm (0.02")
Length	46 mm (1.81") $\pm$ 0.5 mm (0.02")
Width	13 mm (0.51") $\pm$ 0.5 mm (0.02")
Thickness	18 mm (0.71") $\pm$ 0.5 mm (0.02")
Packaging	1000 pcs per carton
Carton Dimension	380 mm $\times$ 290 mm $\times$ 250 mm (14.96" $\times$ 11.42" $\times$ 9.84")
Carton Weight	10.50 kg (23.15 lb)
Minimum Order Quantity	1 carton

### Environmental Constraints

Temperature	0 °C to 50 °C (32 °F to 122 °F)
Humidity	10%–90% (RH)

### Ordering Information

Type	Model	Description
RF Tag	DHI-ISC-ETR5-T012C	RF Lanyard Pencil Tag T012C 1000 pcs